IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Original) A process for extracting β -amylase from cereal, comprising providing cereal in an aqueous medium and extracting said cereal in the presence of cellulase in said aqueous medium to obtain an extract containing β -amylase, followed by recovering said β -amylase from said medium.
- 2. (Original) The process according to claim 1, wherein said cereal is selected from the group consisting of barley, wheat, rye and soya.
- 3. (Original) The process according to claim 2, wherein said cereal is barley or wheat.
- 4. (Original) The process according to claim 1, wherein said cereal comprises grains of said cereal and wherein said grains are pretreated by a process selected from removal of husk, bran, starch or gluten, milling, grinding, polishing and combinations thereof.
- 5. (Original) The process according to claim 4, wherein said cereal comprises husked barley.
- 6. (Original) The process according to claim 5, wherein said barley comprises grains husked so that the actual husk has been removed but the endosperm is left substantially intact.
- 7. (Original) The process according to claim 6, wherein no more than 20% of the weight of an unhusked grain has been removed in said husking.
- 8. (Original) The process according to claim 1, wherein said extraction is carried out in reducing conditions.

- 9. (Original) The process according to claim 8, wherein said reducing conditions are adapted to provide a reducing activity capable of releasing the β -amylase bound to the structural protein of the grain.
- 10. (Original) The process according to claim 9, wherein said reducing conditions are provided by water containing SO₂.
- 11. (Original) The process according to claim 5, wherein said husked barley is extracted with water containing SO₂ in a ratio of 5:8 to 2:3.
- 12. (Original) The process according to any claim 1, wherein said extraction is carried out at a temperature of 25 to 35 °C.
- 13. (Original) The process according to claim 11, wherein said temperature is 29 to 31 °C.
- 14. (Original) The process according to claim 1, wherein the extraction time of said extraction is 48 to 66 hours.
- 15. (Original) The process according to claim 14, wherein said extraction time is 55 to 62 hours.
- 16. (Original) The process according to claim 1, wherein said cellulase comprises an enzyme preparation having at least cellulase, hemicellulase and β -glucanase activities.
- 17. (Original) The process according to claim 1, wherein said cellulase enzyme preparation is added to said aqueous medium at a dosage of at least 0.015% of the weight of said cereal.
- 18. (Currently amended) The process according to claim 1, wherein said cellulase enzyme preparation is added to said aqueous medium at a dosage corresponding to an enzyme

activity selected from at least 1050 U of DNS-CMC cellulase per kilogram of cereal, at least 900 U of β -glucanase per kilogram of cereal, at least 285 U of DNA-xylanase per kilogram of cereal and combinations thereof.[["]]

- 19. (Original) The process according to claim 1, wherein said cellulase comprises cellulase of a mold.
- 20. (Original) The process according to claim 18, wherein said cellulase comprises cellulase of the genera selected the group consisting *Humicola, Fusarium, Myceliopthora, Aspergillus, Penicillium, Trichoderma* and combinations thereof.
- 21. (Original) The process according to claim 19, wherein said cellulase is cellulase of *Trichoderma* mold.
- 22. (Original) The process according to claim 1, wherein said cereal is used also for producing starch.
- 23. (Original) The process according to claim 22, wherein said β -amylase is extracted from said cereal before starch is separated from said cereal.
- 24. (Original) The process according to claim 22, wherein said β -amylase is extracted from said cereal after separation of starch from said cereal.